

5:1 Broad Spectrum

Sample ID: HR20220390088
Strain: 5:1 Broad Spectrum
Matrix: Ingestible
Type: Tincture
Sample Size: ; Batch:

Produced:
Collected:
Received: 03/07/2022
Completed: 03/11/2022
Batch#: 022202254-001

Client
Willow Kay LLC
Lic. #
3507 Breakwater Ave,
Hayward, CA 94545




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	03/09/2022	Complete

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.04000	0.14000	ND	ND	ND	
Δ9-THC	0.07000	0.21000	ND	ND	ND	
Δ8-THC	0.00067000	0.002000	ND	ND	ND	
THCVa	0.00067000	0.002000	ND	ND	ND	
THCV	0.00067000	0.002000	ND	ND	ND	
CBDa	0.03000	0.1000	ND	ND	ND	
CBD	0.05000	0.15000	3.46	34.60	1038.60	<div style="width: 100%; height: 10px; background-color: #008080;"></div>
CBDV	0.00067000	0.002000	ND	ND	ND	
CBN	0.03000	0.08000	0.73	7.30	217.50	<div style="width: 20%; height: 10px; background-color: #008080;"></div>
CBGa	0.00067000	0.002000	ND	ND	ND	
CBG	0.07000	0.22000	0.80	8.00	238.80	<div style="width: 15%; height: 10px; background-color: #008080;"></div>
CBC	0.00067000	0.002000	ND	ND	ND	
CBL			ND	ND	ND	
Total THC			ND	ND	ND	ND
Total CBD			3.46	34.62	1038.60	
Total			4.98	49.83	1494.90	0.00

1 Unit = ml, 30g. 1 mL = 1g.

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Ming Li

Ming Li - General Manager
03/11/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.